

APT 34 AMDT

International Application No.

PCT/IB2002/02264

Applicant:

Nokia Corporation

Date

July 09, 2004

10/517018
DT15 Rec'd PCT/PTO 02 DEC 2004

New Claims

1. Method for automatically adapting the contents of a mobile homepage of a mobile telephone device in accordance with context related information of said device, comprising
 - automatically determining context related information of said mobile telephone device, and
 - automatically adapting said mobile homepage in accordance with said determined context related information.
2. Method according to claim 1, further comprising evaluating said determined context related information and adapting said homepage in accordance with a result of said evaluation operation.
3. Method according to claim 1 or 2, further comprising dispatching a communication request.
4. Method according to claim 1, 2 or 3, further comprising receiving a communication request.
5. Method according to claim 3 or 4, wherein said communication request is a multimedia call.
6. Method according to anyone of the preceding claims, wherein said context related information comprises communication properties.
7. Method according to anyone of the preceding claims, further comprising transmitting of said generated mobile homepage.
8. Method according to anyone of the preceding claims, further comprising receiving an identification of the originator of a communication attempt.
9. Method according to claim 6, wherein said communication properties comprise

AMENDED SHEET

ATT 34 AMDT

information about a communication connection of said mobile telephone device such as signal strength, location bandwidth or data rate.

10. Method according to claim 6, wherein said communication properties comprise information according to a communicative state of said mobile telephone device.
11. Method according to anyone of the preceding claims, comprising
 - downloading the contents of a mobile homepage of said mobile telephone device,
 - storing said downloaded mobile homepage on a server, said server containing a homepage, thereby automatically updating said homepage on said server according to said mobile homepage of said mobile telephone device.
12. Method according to claim 13, wherein said downloading is initiated when it is detected that the attainability of the mobile telephone is expected to be reduced.
13. Method according to anyone of the preceding claims, comprising
 - receiving a communication request for a connection to said mobile device,
 - detecting if said mobile device is connectable, and
 - in case said mobile device is not connectable, rerouting said communication request to a homepage downloaded from said mobile telephone device said communication request has been directed to.
14. Method according to anyone of the preceding claims, wherein said homepage is an HTML or XHTML homepage.
15. Method according to anyone of the preceding claims, wherein said homepage is a WML homepage.
16. Software tool comprising program code means for carrying out the steps of anyone of claims 1 to 15 when said program is run on a network device or a mobile telephone device.
17. Computer program comprising program code means for carrying out the method of anyone of claims 1 to 15 when said program is run on a computer or network device.
18. Computer program product comprising program code means stored on a computer readable medium for carrying out the method of anyone of claims 1 to 15 when said

03-08-2004

Becker • Kurig • Straus

11

program is run on a network device or a mobile telephone device.

19. Mobile telephone device, comprising :

a server that provides a server functionality to said mobile telephone device,
a storage for storing at least one homepage on said mobile telephone device,
characterized by

a processor configured to determine context related information of said mobile telephone device and to adapt said homepage according to said determined context related information.

20. Mobile telephone device according to claim 19, further comprising at least one component for evaluating said context related information.

21. Mobile telephone device according to claim 19 or 20, further comprising

- a processor configured to connect said mobile telephone to a server, and configured to transfer the contents of a mobile homepage of said mobile telephone device to said server.

22. Mobile telephone device according to claim 21, further comprising a processor configured to detect an attainability status of said mobile telephone device and to initiate said transfer of the mobile homepage contents, in case a decreased attainability status is detected.

23. Network server connectable to a mobile telephone device, comprising:

a storage for storing at least one homepage,
characterized by

a processor configured for downloading a mobile homepage from said mobile telephone device, and

a storage being connected to said processor for storing said downloaded homepage.

24. Network server according to claim 23, further comprising a processor configured to detect an attainability status of said mobile telephone device, and being configured to initiate said download of the mobile homepage, in case a decreased attainability status of said mobile telephone is detected.